



MATERIAL SAFETY DATA SHEET

I. PRODUCT & COMPANY IDENTIFICATION

Product Name: Skintimate® Soothing Escape Shave Gel

Product Code(s): 203414 (3*9446.002)

Product Type: Shaving Cream

Supplier Address: Schick Wilkinson Sword
10 Leighton Rd.
Milford, CT 06460
USA
Phone: 888-999-6736
Emergency Phone: 888-879-3798

Company Emergency Phone Number: 1-888-879-3798 (Medical Emergency)
1-800-424-9300 (24 hrs. Transportation Information or Spills)
1-703-527-3887 (International Transportation Information or Spills)

II. HAZARDS IDENTIFICATION

Appearance Green **Physical State** Gel, Aerosol **Odor** Pleasant

Emergency Overview

FLAMMABLE AEROSOL
May cause eye irritation
For External Use Only

Potential Health Effects: None
Principle Routes of Exposure: Skin contact.

Acute Toxicity

Eyes: May cause irritation.
Skin: Does not pose a potential of skin irritation and sensitization.
Inhalation: No known effect.
Ingestion: No known effect. Ingestion may cause irritation to mucous membranes.

Chronic Effects No known effect.

Aggravated Medical Conditions None known.
Environmental Hazard See Section 12 for additional Ecological Information

III. COMPOSITION INFORMATION

Chemical Name	CAS Number	Weight %
Titanium Dioxide	13463-67-7	0.1
Triethanolamine	102-71-6	5-10
Isobutane	75-28-5	2.25
Isopentane	78-78-4	1.6

IV. FIRST AID MEASURES

Eye Contact:	Rinse thoroughly with plenty of water, also under the eyelids. If irritation persists, call a physician.
Skin Contact:	Wash with soap and water. If symptoms persist call a physician.
Inhalation:	None under normal use
Ingestion:	Do NOT induce vomiting. Rinse mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Notes to Physician:	Treat symptomatically.

V. FIRE-FIGHTING MEASURES

Uniform Fire Code:	Aerosol Level 1
Flash Point:	<-6.7°C/ <20 °F (propellant)
Flashback:	Not applicable
Flame Projection:	Not applicable
Suitable Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Sensitivity to Static Discharge:	Not sensitive.
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA: Health Hazard 0 **Flammability** 3 **Stability** 0 **Physical and Chemical Hazards** –

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with eyes.
Environmental Precautions:	Refer to protective measures listed in Sections 7 and 8.
Methods for Containment:	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up:	Keep in suitable and closed containers for disposal

VII. HANDLING & STORAGE

Handling:	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Do not puncture or incinerate cans.
Storage:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition.

VIII. EXPOSURE CONTROLS & PERSONAL PROTECTION

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ (vacated) TWA: 10 mg/m ³	IDLH: 5000 mg/m ³
Isopentane 78-78-4	TWA: 600 ppm		
Isobutane 75-28-5	TWA: 1000 ppm	N/A	N/A
Triethanolamine 102-71-6	TWA: 5 mg/m ³		

Engineering Measures: Showers, eyewash stations, and ventilation systems.

Personal Protective Equipment

Eye/Face Protection: No special protective equipment required.

Skin and Body Protection: No special protective equipment required.

Respiratory Protection: No protective equipment is needed under normal use conditions

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

IX. PHYSICAL & CHEMICAL PROPERTIES

Physical State:	Gel, Aerosol	Odor:	Pleasant
Appearance:	Green	pH:	8.5
Flash Point:	<-6.7°C/ < 20°F (propellant)	Boiling Point/Range:	No data available
Melting Point/Range:	No data available	Specific Gravity:	0.97
Solubility:	Soluble in water	VOC Content(%):	Available upon request
Partition Coefficient: n-octanol/water	No data available		

X. STABILITY & REACTIVITY

Stability: Stable under recommended storage conditions.

Incompatible Products: None known.

Conditions to Avoid: Heat, flames and sparks.

Hazardous Decomposition Products: None known

Hazardous Polymerization: Hazardous polymerization does not occur.

XI. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information: Product is safe for its intended use based on the formulation, testing results, and the long history of safe consumer use.

Chronic Toxicity

Chronic Toxicity: No known effect.

Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide		Group 2B		X

Target Organ Effects: None known.

XII. ECOLOGICAL INFORMATION

Ecotoxicity: The environmental impact of this product has not been fully investigated.

XIII. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

Contaminated Packaging: Dispose of in accordance with local regulations..

US EPA Waste Number: D001

XIV. TRANSPORTATION INFORMATION

DOT

Proper Shipping Name Consumer commodity
Hazard Class ORM-D
Description Consumer commodity, ORM-D
Emergency Response Guide Number 126

TDG

Proper Shipping Name Aerosols, Flammable
Hazard Class 2.1
UN-No UN1950
PG NA
Description AEROSOLS,2.1, UN1950

MEX

Proper Shipping Name Aerosols, Flammable
Hazard Class 2.1
UN-No UN1950
PG NA
Description UN1950 Aerosols,2.1

ICAO

UN-No UN1950
Proper Shipping Name Aerosols, Flammable
Hazard Class 2.1
PG NA
Description Aerosols, UN1950

IATA

UN-No UN1950
Proper Shipping Name Aerosols, flammable
Hazard Class 2.1
ERG Code 10L



PG NA
Description UN1950, Aerosols, flammable, 2.1

IMDG/IMO

Proper Shipping Name Aerosols, Flammable
Hazard Class 2.1
UN-No UN1950
PG NA
EmS No. F-D, S-U
Vessel Stowage A
Description UN1950, Aerosols,2.1

RID

Proper Shipping Name Aerosols, Flammable
Hazard Class 2
UN-No UN1950
PG NA
Classification Code 5A
Description UN1950 Aerosols, 2, RID
ADR/RID-Labels 2

ADR

Proper Shipping Name Aerosols, Flammable
Hazard Class 2
UN-No UN1950
PG NA
Classification Code 5A
Description UN1950 Aerosols, 2, ADR
ADR/RID-Labels 2

ADN

Proper Shipping Name Aerosols, Flammable
Hazard Class 2
PG NA
Classification Code 5A
Special Provisions 63, 190, 191, 277, 913
Description UN1950 Aerosols, 2
Hazard Labels 2
Limited Quantity See SP277

XV. REGULATORY INFORMATION

U.S. Regulations

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard Yes
Reactive Hazard No
California Proposition 65 This product does not contain any Proposition 65 chemicals.

International Regulations

Mexico - Grade Serious risk, Grade 3

Chemical Name	Carcinogen Status	Exposure Limits
Titanium dioxide		Mexico: STEL= 20 mg/m ³ Mexico: TWA= 10 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

- A Compressed gases
- B5 Flammable aerosol
- B2 Flammable liquid



International Inventories

- TSCA** Exempt
- DSL** Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

XVI. OTHER INFORMATION

Prepared By Global Regulatory Affairs/ Product Safety
75 Commerce Dr.
Allendale, NJ 07401
USA

Issuing Date 6-May-2010

Revision Date

Revision Note

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The Information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.