



MATERIAL SAFETY DATA SHEET

I. PRODUCT & COMPANY IDENTIFICATION

Product Name: Hawaiian Tropic® Golden Tanning Dry Oil Continuous Spray SPF 6

Product Code(s): 41-00400

Product Type: Tanning Product

Supplier Address: Playtex Manufacturing Inc.
6 Research Dr.
Shelton, CT 06484
USA
Phone: 888-999-6736
Emergency Phone: 888-879-3798

Company Emergency Phone Number: 1-888-879-3798 (Medical Emergency)
1-800-424-9300 (24 hrs. Transportation Information or Spills)
1-703-527-3887 (International Transportation Information or Spills)

II. HAZARDS IDENTIFICATION

Appearance Transparent yellow **Physical State** Liquid, Aerosol (BOV) **Odor** Characteristic

Emergency Overview
May cause eye irritation
Compressed Air

Potential Health Effects: None
Principle Routes of Exposure: Skin contact.

Acute Toxicity

Eyes: May cause irritation.
Skin: Does not pose a potential of skin irritation and sensitization.
Inhalation: No known effect.
Ingestion: No known effect. Ingestion may cause irritation to mucous membranes.

Chronic Effects No known effect.

Aggravated Medical Conditions None known.
Environmental Hazard See Section 12 for additional Ecological Information

III. COMPOSITION INFORMATION

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

IV. FIRST AID MEASURES

Eye Contact:	Rinse thoroughly with plenty of water, also under the eyelids. If irritation persists, call a physician.
Skin Contact:	None under normal use
Inhalation:	None under normal use
Ingestion:	Rinse mouth with water and afterwards drink plenty of water or milk
Notes to Physician:	Treat symptomatically.

V. FIRE-FIGHTING MEASURES

Uniform Fire Code:	Aerosol Level 3
Flash Point:	198 °C/ 388.4 °F
Flashback:	Not Applicable
Flame Projection:	Not Applicable
Suitable Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire; Dry chemical or CO2. Water spray, fog or regular foam.. Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.
Sensitivity to Static Discharge:	Not sensitive to static discharge.
Specific Hazards Arising from the Chemical:	Some may burn but none ignite readily. Ruptured containers may rocket.
Protective Equipment and Precautions for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
NFPA:	Health Hazard 0 Flammability 0 Stability 0 Physical and Chemical Hazards –

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with eyes.
Environmental Precautions:	Avoid allowing water runoff to contact spilled material. Prevent entry into waterways, sewers, basements or confined areas.
Methods for Containment:	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up:	Do not direct water at spill or source of leak. Keep in suitable and closed containers for disposal.
Other Information:	Ventilate the area.

VII. HANDLING & STORAGE

Handling:	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Do not puncture or incinerate cans.
------------------	---

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition.

VIII. EXPOSURE CONTROLS & PERSONAL PROTECTION

Exposure Guidelines: This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures: Showers, eyewash stations, and ventilation systems.

Personal Protective Equipment

Eye/Face Protection: No special protective equipment required.

Skin and Body Protection: No special protective equipment required.

Respiratory Protection: No protective equipment is needed under normal use conditions

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

IX. PHYSICAL & CHEMICAL PROPERTIES

Physical State: Lotion, Aerosol, Bag-on-valve

Appearance: Liquid, transparent yellow

pH: Not applicable

Flash Point: 198 °C/ 388.4 °F

Melting Point/Range: No data available

Solubility: No data available

Partition Coefficient: n-octanol/water No data available

Odor: Characteristic

Boiling Point/Range: No data available

Specific Gravity: 0. 87-0.89

VOC Content (%): Available upon request

X. STABILITY & REACTIVITY

Stability: Stable

Incompatible Products: None known

Conditions to Avoid: None Known

Hazardous Decomposition Products: None known

Hazardous Polymerization: Hazardous polymerization does not occur.

XI. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information: Product is safe for its intended use based on the formulation, testing results, and the long history of safe consumer use.

Chronic Toxicity

Chronic Toxicity: No known effect.

Target Organ Effects: None known.

XII. ECOLOGICAL INFORMATION

Ecotoxicity: The environmental impact of this product has not been fully investigated.

XIII. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: This material, as supplied, is a not hazardous waste according to federal regulations (40 CFR 261). The material could become hazardous if it is mixed with or otherwise comes into contact with a hazardous waste, If chemical additions are made to this material or if the material is processed or otherwise altered. Consult 40 CFR 251 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional or local regulations for additional requirements.

Contaminated Packaging: Dispose of in accordance with local regulations.

XIV. TRANSPORTATION INFORMATION

DOT

Proper Shipping Name Consumer commodity
Hazard Class ORM-D
Description Consumer commodity, ORM-D
Emergency Response Guide Number 126

TDG

Proper Shipping Name Aerosols, Non-Flammable
Hazard Class 2.2
UN-No UN1950
PG NA
Description AEROSOLS, 2.2, UN1950

MEX

Proper Shipping Name Aerosols, Non-Flammable
Hazard Class 2.2
UN-No UN1950
PG NA
Description UN1950 Aerosols, 2.2

ICAO

UN-No UN1950
Proper Shipping Name Aerosols, Non-Flammable
Hazard Class 2.2
PG NA
Description Aerosols, UN1950

IATA

UN-No UN1950
Proper Shipping Name Aerosols, Non-flammable
Hazard Class 2.2
ERG Code 10L
PG NA
Description UN1950, Aerosols, Non-flammable, 2.2

IMDG/IMO

Proper Shipping Name Aerosols, Non-Flammable
Hazard Class 2.2
UN-No UN1950
PG NA
EmS No. F-D, S-U
Vessel Stowage A
Description UN1950, Aerosols, 2.2



RID
Proper Shipping Name Aerosols
Hazard Class 2
UN-No UN1950
PG NA
Classification Code 5A
Description UN1950 Aerosols, 2, RID
ADR/RID-Labels 2

ADR
Proper Shipping Name Aerosols
Hazard Class 2
UN-No UN1950
PG NA
Classification Code 5A
Description UN1950 Aerosols, 2, ADR
ADR/RID-Labels 2

ADN
Proper Shipping Name Aerosols
Hazard Class 2
PG NA
Classification Code 5A
Special Provisions 63, 190, 191, 277, 913
Description UN1950 Aerosols, 2
Hazard Labels 2
Limited Quantity See SP277

XV. REGULATORY INFORMATION

U.S. Regulations

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No
California Proposition 65	This product does not contain any Proposition 65 chemicals.

International Regulations

Mexico - Grade Serious risk, Grade 3
Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

A Compressed gases



International Inventories

TSCA Exempt
DSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

XVI. OTHER INFORMATION

Prepared By	Global Regulatory Affairs/Product Safety 75 Commerce Dr. Allendale, NJ 07401 USA
Issuing Date	11-May-10
Revision Date	N/A
Revision Note	N/A

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The Information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.